

## FORT COX AGRICULTURE AND FORESTRY TRAINING INSTITUTE

Fort Cox Agriculture and Forestry Training Institute seeks to employ dynamic and a qualified person for the following position:

## **EXTERNAL ADVERTISEMENT**

# TEMPORARY ARTISAN ELECTRICIAN REF NUMBER: FMID/AE/2025 DURATION: TEMPORARY (02 MONTHS)

#### REQUIREMENTS:

- Matric/Grade12 and Diploma/N6 in Electrical Engineering
- Electrical Trade certificate
- 2-3 years of working experience in general electrical and installation repairs.
- Experience in using and operating hand tools and electrical machinery;
- Ability to carry minor repairs in relevant fields;
- Have physical stamina to perform tasks that require lifting, bending and standing;
- A valid drives License.

## **KEY PERFORMANCE AREAS:**

- General assistance in electrical works such as installations and repairs;
- Assist in replacing fixtures, outlets and switches;
- Clean and organize work areas, including electrical rooms and workshops;
- · Assist with electrical testing such as voltage and continuity testing;
- Follow safety procedures in protocols to ensure a safe working environment.

## **FURTHER IMPORTANT INFORMATION:**

Applicants are required to submit Application letter stating the reference and name of the position, a detailed CV with at least two (2) contactable referees, certified copies of the required qualifications and a valid ID copy or Passport. Failure to comply with the requirements will result in the application being disqualified.

Applications must be submitted in the following ways:

Email to hrecruitment@fortcox.ac.za.

Hand delivery – Direct Office: HR Practitioner: Miss T. Gomba on 040 653 8033/2/4/5. Fort Cox Agriculture and Forestry Training Institute, Main Administration Building, Cwaru Road, Middledrift. LATE APPLICATIONS WILL NOT BE CONSIDERED.

Should you not receive any response within 15 days of the closing date, please accept that your application was unsuccessful. Communication will be done only to shortlisted candidates.

Closing Date: 05 August 2025